

Product Data Sheet

Sorbead[®] R

High-performance silica gel adsorbent

BASF Sorbead[®] R is a high-performance, acid resistant adsorbent for dehydration of natural gas, CO₂, and solvents.

The BASF Sorbead[®] line of highly efficient adsorbents are aluminosilicate gels in the form of hard, spherical beads, with a very high resistance to crushing and a low attrition rate. Sorbead[®] adsorbents have a longer life than most other adsorbents and can reduce operating costs in most applications.

Sorbead[®] R is an acid resistant adsorbent with above-average drying capacity at low required desorption energy. The unique properties of Sorbead[®] R provide a reliable and robust product with minimal attrition and high mechanical strength. Sorbead[®] R is protected from liquid condensation by a layer of water stable Sorbead[®] WS.

Target Properties		
Chemical Composition	SiO2 Al2O3	96 wt. % 4 wt. %
Surface Area (BET)	700 m²/g	
Pore Volume	0.4 cm³/g	
Equilibrium Capacity for Water Vapor at 25° C	10% R.H. 80% R.H.	6 wt. % 36 wt. %
Packed Bulk Density	0.8 kg/L	
Crushing Strength	200 N	
Attrition Rate	0.05 wt. %	

These indicative properties do not represent process capabilities nor specifications.

Typical distribution of grain size

- 2.0 – 5.0 mm

Packaging

- 850 kg Big bag
- 150 kg Steel drums

About Us

BASF's Catalysts division is the world's leading supplier of environmental and process catalysts. The group offers exceptional expertise in the development of technologies that protect the air we breathe, produce the fuels that power our world and ensure efficient production of a wide variety of chemicals, plastics and other products, including advanced battery materials. By leveraging our industry-leading R&D platforms, passion for innovation and deep knowledge of precious and base metals, BASF's Catalysts division develops unique, proprietary solutions that drive customer success.

BASF - We create chemistry

Sorbead adsorbents are also known by the trade name *KC-Trockenperlen*®.

Americas

BASF Corporation 25 Middlesex/Essex Turnpike Iselin, New Jersey, 08830, USA Tel : +1-732-205-5000 Fax: +1-732-205-7725 Email: catalysts-americas@basf.com

Asia Pacific

BASF (China) Company Limited 300 Jiang Xin Sha Road, Pudong, Shanghai 200137 P.R. China Tel: +86-21-2039 2549 Fax: +86-21-2039 4800-2549 Email: catalysts-asia@basf.com

Europe, Middle East, Africa

BASF De Meern BV Catalysts The Netherlands Tel: +31-30-666 9437 Email: catalysts-europe@basf.com

Sorbead and KC-Trockenperlen are trademarks of BASF.

Although all statements and information in this publication are believed to be accurate and reliable, they are presented gratis and for guidance only, and risks and liability for results obtained by use of the products or application of the suggestions described are assumed by the user. NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH. Statements or suggestions concerning possible use of the products are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe any patent. The user should not assume that toxicity data and safety measures are indicated or that other measures may not be required. © 2015 BASF

www.catalysts.basf.com/adsorbents

BASF-9236 Rev. 05/21